			<u> </u>	
L Number	Hits		DB	Time stamp
1	1	nonlinearity same scan same (select\$3 with	USPAT;	2003/05/28 11:09
		direction) same microscope	US-PGPUB	0000/05/00 11 00
-	1	5825670.pn.	USPAT;	2003/05/28 11:08
			US-PGPUB	
_	2	((nonlinearity with scan) and (select\$4	USPAT;	2002/12/23 17:54
		with direction with scan)) and (two with	US-PGPUB	1
		dimensional with array)		0000 (10 (00 17 54
-	0	(((nonlinearity with scan) and (select\$4	USPAT;	2002/12/23 17:54
		with direction with scan)) and (two with	US-PGPUB	
		dimensional with array)) and (diffraction		
	_ !	with grat\$3)	HODAM.	2002/12/24 15:24
-	5		USPAT;	2002/12/24 15:24
		with direction with scan)) and	US-PGPUB	
	0	(diffraction with grat\$3)	USPAT;	2002/12/23 18:26
-	0	(((nonlinearity with scan) and (select\$4 with direction with scan)) and	US-PGPUB	2002/12/23 10:20
		(diffraction with grat\$3)) and (pitch with	03 10100	
		value)		
	0		USPAT;	2002/12/23 18:26
	0	and (select\$4 with direction with scan)	US-PGPUB	2002, 12, 20 20.20
_	0		USPAT;	2002/12/23 18:28
_		with direction with scan)) and	US-PGPUB	
		(diffraction with grat\$3)) and pitch		
_	0		USPAT;	2002/12/23 18:30
		(diffraction with grat\$3) and (two with	US-PGPUB	in the second se
		dimensional with array)		
-	4	((measur\$4 with pitch with value) and	USPAT;	2002/12/23 19:20
		(diffraction with grat\$3) and (two with	US-PGPUB	
		dimensional with array)) and (scan\$4 with	ŀ	
		line)		
-	2		USPAT;	2002/12/23 19:21
		(diffraction with grat\$3) and (two with	US-PGPUB	
		dimensional with array)) and (scan\$4 with	Ì	
		line)) and (calculat\$4 with different\$4		
		with non-linearity)	IIODAM.	2002/12/23 19:22
-	0	((((measur\$4 with pitch with value) and	USPAT; US-PGPUB	2002/12/23 19:22
		(diffraction with grat\$3) and (two with	US-PGPUD	
		dimensional with array)) and (scan\$4 with line)) and (calculat\$4 with different\$4		
		with non-linearity)) and (calculat\$4 with		
		integrat\$4 with non-linearity)		
_	5		USPAT;	2002/12/24 15:16
-		(diffraction with grat\$3) and (two with	US-PGPUB	2002, 22, 21
		dimensional with array)		
_	. 14	("4677296" "5051646" "5107113"	USPAT	2002/12/24 15:32
Ì	1 1	"5172002" "5198715" "5204531"		
		"5210410" "5321977" "5345816"	1	
		"5469734" "5526165" "5534359"		
		"5557156" "5568003").PN.		1
_	19		USPAT;	2002/12/24 15:37
		with direction with scan)	US-PGPUB	
-	0	(702/\$.ccls. or 310/\$.ccls. or 250/\$.ccls.	USPAT;	2002/12/24 15:40
		or 73/\$.ccls.) and (true with (nonliearity	US-PGPUB	
		or non-linearity)) and (measur\$4 with pich		
		with value) and (diffraction with grat\$3)	-	1
-	0		USPAT;	2002/12/24 15:40
		or 73/\$.ccls.) and (measur\$4 with pich	US-PGPUB	
		with value) and (diffraction with grat\$3)		
_	, 0	1	USPAT;	2002/12/24 15:50
		device) and (two with dimensional with	US-PGPUB	
		array) and (pitch with value)		